


Water Withdrawal in the Ottawa-Stony Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	0.23	6.7%
Ground Water	3.17	93.3%
Total	3.39	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.17	0.00	0.00	0.00	0.00	0.06	0.00	0.23
Ground Water	0.28	0.00	0.19	0.03	2.67	0.00	0.00	3.17
Total	0.44	0.00	0.19	0.03	2.67	0.06	0.00	3.39
Percent Total	13.1%	0.0%	5.5%	1.0%	78.6%	1.8%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the St. Joseph Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	34.87	70.1%
Ground Water	14.87	29.9%
Total	49.74	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.35	0.00	0.03	0.00	1.23	33.27	0.00	34.87
Ground Water	0.48	0.27	0.40	4.04	0.00	9.51	0.18	14.87
Total	0.82	0.27	0.43	4.04	1.23	42.77	0.18	49.74
Percent Total	1.7%	0.5%	0.9%	8.1%	2.5%	86.0%	0.4%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the St. Marys Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	7.74	49.1%
Ground Water	8.02	50.9%
Total	15.76	100.0%




■ Ground Water □ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.05	5.64	0.00	0.47	1.34	0.00	0.23	7.74
Ground Water	0.44	0.00	0.00	0.22	1.63	5.35	0.38	8.02
Total	0.49	5.64	0.00	0.70	2.97	5.35	0.61	15.76
Percent Total	3.1%	35.8%	0.0%	4.4%	18.9%	34.0%	3.9%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Upper Maumee Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	6.06	78.0%
Ground Water	1.71	22.0%
Total	7.77	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.06	0.00	0.02	1.16	0.73	4.09	0.00	6.06
Ground Water	0.13	0.00	0.12	0.54	0.00	0.92	0.00	1.71
Total	0.19	0.00	0.13	1.71	0.73	5.01	0.00	7.77
Percent Total	2.4%	0.0%	1.7%	22.0%	9.4%	64.5%	0.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Tiffin Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	2.03	45.8%
Ground Water	2.40	54.2%
Total	4.43	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.00	0.00	0.00	0.00	0.00	2.03	0.00	2.03
Ground Water	0.02	0.00	0.00	0.10	0.00	2.27	0.00	2.40
Total	0.03	0.00	0.01	0.10	0.00	4.30	0.00	4.43
Percent Total	0.6%	0.0%	0.2%	2.3%	0.0%	96.9%	0.1%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Auglaize Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	22.32	64.8%
Ground Water	12.12	35.2%
Total	34.44	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.25	0.00	0.00	0.20	0.00	21.88	0.00	22.32
Ground Water	0.28	0.00	0.00	1.14	5.71	4.98	0.00	12.12
Total	0.54	0.00	0.00	1.33	5.71	26.86	0.00	34.44
Percent Total	1.6%	0.0%	0.0%	3.9%	16.6%	78.0%	0.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Blanchard Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	34.78	79.0%
Ground Water	9.25	21.0%
Total	44.03	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.28	0.00	0.06	0.00	0.06	7.76	26.62	34.78
Ground Water	0.12	0.00	0.01	0.00	2.62	1.19	5.30	9.25
Total	0.40	0.00	0.07	0.00	2.68	8.96	31.93	44.03
Percent Total	0.9%	0.0%	0.1%	0.0%	6.1%	20.3%	72.5%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Lower Maumee Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	19.41	83.8%
Ground Water	3.74	16.2%
Total	23.15	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.45	0.00	0.05	6.70	0.00	9.71	2.50	19.41
Ground Water	0.31	0.00	0.22	0.00	2.19	1.02	0.00	3.74
Total	0.76	0.00	0.27	6.70	2.19	10.74	2.50	23.15
Percent Total	3.3%	0.0%	1.2%	28.9%	9.4%	46.4%	10.8%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Cedar-Portage Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	930.66	99.5%
Ground Water	4.51	0.5%
Total	935.17	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.07	769.75	0.09	47.35	12.42	100.17	0.81	930.66
Ground Water	0.12	0.00	0.37	0.43	2.50	1.08	0.01	4.51
Total	0.19	769.75	0.46	47.78	14.92	101.25	0.82	935.17
Percent Total	0.0%	82.3%	0.0%	5.1%	1.6%	10.8%	0.1%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Sandusky Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	30.09	74.2%
Ground Water	10.49	25.8%
Total	40.58	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.20	0.00	0.03	5.84	3.30	18.07	2.65	30.09
Ground Water	0.18	0.00	0.07	0.43	7.99	1.46	0.36	10.49
Total	0.38	0.00	0.11	6.27	11.29	19.53	3.01	40.58
Percent Total	0.9%	0.0%	0.3%	15.4%	27.8%	48.1%	7.4%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Huron-Vermilion Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	10.31	92.3%
Ground Water	0.86	7.7%
Total	11.17	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	2.34	0.00	0.65	0.00	0.00	7.32	0.00	10.31
Ground Water	0.05	0.00	0.34	0.00	0.08	0.39	0.00	0.86
Total	2.39	0.00	1.00	0.00	0.08	7.70	0.00	11.17
Percent Total	21.4%	0.0%	8.9%	0.0%	0.7%	69.0%	0.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Black-Rocky Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	796.34	99.9%
Ground Water	0.59	0.1%
Total	796.93	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	1.51	470.77	1.63	100.95	0.00	221.47	0.00	796.34
Ground Water	0.12	0.00	0.00	0.00	0.05	0.39	0.03	0.59
Total	1.64	470.77	1.63	100.95	0.05	221.86	0.03	796.93
Percent Total	0.2%	59.1%	0.2%	12.7%	0.0%	27.8%	0.0%	100.0%



Water withdrawal trends



Water Withdrawal in the Cuyahoga Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	160.75	89.8%
Ground Water	18.29	10.2%
Total	179.04	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.82	0.00	0.03	120.38	0.54	37.22	1.76	160.75
Ground Water	0.42	0.00	0.30	1.68	0.20	15.68	0.03	18.29
Total	1.24	0.00	0.32	122.05	0.75	52.89	1.79	179.04
Percent Total	0.7%	0.0%	0.2%	68.2%	0.4%	29.5%	1.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Ashtabula-Chagrin Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1168.19	99.9%
Ground Water	1.27	0.1%
Total	1169.46	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	1.07	1062.03	3.41	0.00	0.00	101.67	0.01	1168.19
Ground Water	0.01	0.00	0.29	0.00	0.00	0.97	0.00	1.27
Total	1.07	1062.03	3.70	0.00	0.00	102.64	0.01	1169.46
Percent Total	0.1%	90.8%	0.3%	0.0%	0.0%	8.8%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Grand Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1.00	74.9%
Ground Water	0.33	25.1%
Total	1.33	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.20	0.00	0.34	0.40	0.00	0.05	0.00	1.00
Ground Water	0.09	0.00	0.01	0.00	0.00	0.24	0.00	0.33
Total	0.29	0.00	0.35	0.40	0.00	0.28	0.00	1.33
Percent Total	22.0%	0.0%	26.4%	30.3%	0.0%	21.3%	0.1%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Chautauqua-Conneaut Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	220.64	100.0%
Ground Water	0.00	0.0%
Total	220.64	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.02	209.79	0.00	9.00	0.05	1.79	0.00	220.64
Ground Water	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.02	209.79	0.00	9.00	0.05	1.79	0.00	220.64
Percent Total	0.0%	95.1%	0.0%	4.1%	0.0%	0.8%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Lake Erie Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	0.16	2.2%
Ground Water	7.24	97.8%
Total	7.40	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.16
Ground Water	0.00	0.00	0.00	0.00	7.24	0.00	0.00	7.24
Total	0.00	0.00	0.00	0.00	7.24	0.16	0.00	7.40
Percent Total	0.0%	0.0%	0.0%	0.0%	97.8%	2.2%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Upper Ohio Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1261.33	99.2%
Ground Water	9.81	0.8%
Total	1271.14	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.17	1109.21	0.13	142.01	0.07	9.73	0.00	1261.33
Ground Water	0.02	2.24	0.04	3.26	0.00	4.25	0.00	9.81
Total	0.19	1111.45	0.18	145.27	0.07	13.97	0.00	1271.14
Percent Total	0.0%	87.4%	0.0%	11.4%	0.0%	1.1%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.


Water Withdrawal in the Shenango Basin

Total fresh-water withdrawal and source of water in 2005


Source	Water use, in million gallons per day	Percent of total use
Surface Water	0.06	19.1%
Ground Water	0.27	80.9%
Total	0.34	100.0%




■ Ground Water ■ Surface Water



Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.06
Ground Water	0.08	0.00	0.00	0.00	0.00	0.20	0.00	0.27
Total	0.14	0.00	0.00	0.00	0.00	0.20	0.00	0.34
Percent Total	42.0%	0.0%	0.0%	0.0%	0.0%	58.0%	0.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Mahoning Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	212.01	98.9%
Ground Water	2.40	1.1%
Total	214.41	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.83	109.97	0.23	47.09	0.00	53.88	0.01	212.01
Ground Water	0.22	0.00	0.00	0.00	0.00	2.18	0.00	2.40
Total	1.05	109.97	0.23	47.09	0.00	56.06	0.01	214.41
Percent Total	0.5%	51.3%	0.1%	22.0%	0.0%	26.1%	0.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Upper Ohio-Wheeling Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1131.33	99.0%
Ground Water	11.74	1.0%
Total	1143.07	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.03	1125.41	0.00	2.14	1.28	2.47	0.00	1131.33
Ground Water	0.00	3.10	0.00	1.02	0.00	7.62	0.00	11.74
Total	0.03	1128.51	0.00	3.16	1.28	10.09	0.00	1143.07
Percent Total	0.0%	98.7%	0.0%	0.3%	0.1%	0.9%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Little Muskingum-Middle Island Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	5.64	60.8%
Ground Water	3.63	39.2%
Total	9.27	100.0%




■ Ground Water □ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.00	0.00	0.00	3.96	0.46	1.22	0.00	5.64
Ground Water	0.27	0.00	0.04	1.78	0.00	1.54	0.00	3.63
Total	0.27	0.00	0.04	5.74	0.46	2.76	0.00	9.27
Percent Total	2.9%	0.0%	0.4%	61.9%	5.0%	29.8%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Upper Ohio-Shade Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1424.71	99.4%
Ground Water	8.60	0.6%
Total	1433.31	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.00	1183.64	0.00	238.25	2.82	0.00	0.00	1424.71
Ground Water	0.00	1.38	0.00	0.39	0.22	6.61	0.00	8.60
Total	0.00	1185.02	0.00	238.64	3.04	6.61	0.00	1433.31
Percent Total	0.0%	82.7%	0.0%	16.6%	0.2%	0.5%	0.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Hocking Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	2.06	13.2%
Ground Water	13.53	86.8%
Total	15.59	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.07	0.00	0.00	0.00	0.00	1.99	0.00	2.06
Ground Water	0.18	0.00	0.04	0.04	0.00	13.27	0.00	13.53
Total	0.25	0.00	0.04	0.04	0.00	15.27	0.00	15.59
Percent Total	1.6%	0.0%	0.3%	0.2%	0.0%	97.9%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.


Water Withdrawal in the Tuscarawas Basin

Total fresh-water withdrawal and source of water in 2005


Source	Water use, in million gallons per day	Percent of total use
Surface Water	9.39	10.3%
Ground Water	82.06	89.7%
Total	91.45	100.0%




■ Ground Water ■ Surface Water



Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.66	0.00	0.01	1.30	2.04	5.39	0.00	9.39
Ground Water	0.99	0.12	0.48	22.94	0.48	56.42	0.63	82.06
Total	1.65	0.12	0.49	24.24	2.52	61.82	0.63	91.45
Percent Total	1.8%	0.1%	0.5%	26.5%	2.8%	67.6%	0.7%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Mohican Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	7.35	42.8%
Ground Water	9.82	57.2%
Total	17.17	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.03	0.00	0.05	0.00	0.30	6.91	0.06	7.35
Ground Water	0.04	0.00	0.00	0.22	0.08	9.38	0.10	9.82
Total	0.07	0.00	0.05	0.22	0.38	16.30	0.16	17.17
Percent Total	0.4%	0.0%	0.3%	1.3%	2.2%	94.9%	0.9%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Walhonding Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	5.04	19.7%
Ground Water	20.61	80.3%
Total	25.65	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.06	0.00	0.16	1.25	3.57	0.00	0.00	5.04
Ground Water	0.04	0.00	0.18	1.06	1.65	16.65	0.18	19.75
Total	0.10	0.00	0.34	2.31	5.22	16.65	0.18	24.80
Percent Total	0.4%	0.0%	1.4%	9.3%	21.0%	67.1%	0.7%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Muskingum Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	913.08	98.1%
Ground Water	17.33	1.9%
Total	930.41	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.02	905.47	0.00	1.47	5.26	0.86	0.00	913.08
Ground Water	0.00	1.26	0.05	1.13	0.29	14.60	0.00	17.33
Total	0.02	906.73	0.05	2.60	5.55	15.46	0.00	930.41
Percent Total	0.0%	97.5%	0.0%	0.3%	0.6%	1.7%	0.0%	100.0%


Water withdrawal trends



Water Withdrawal in the Wills Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	4.64	70.7%
Ground Water	1.93	29.3%
Total	6.56	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.05	0.00	0.00	0.00	0.00	3.42	1.16	4.64
Ground Water	0.02	0.00	0.00	0.27	0.00	1.64	0.00	1.93
Total	0.07	0.00	0.00	0.27	0.00	5.06	1.16	6.56
Percent Total	1.1%	0.0%	0.0%	4.0%	0.0%	77.2%	17.7%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Licking Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	11.63	62.6%
Ground Water	6.95	37.4%
Total	18.58	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.34	0.00	0.00	0.39	1.02	8.94	0.94	11.63
Ground Water	0.35	0.00	0.04	1.09	0.06	5.34	0.07	6.95
Total	0.70	0.00	0.04	1.48	1.08	14.28	1.01	18.58
Percent Total	3.7%	0.0%	0.2%	8.0%	5.8%	76.8%	5.4%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Upper Scioto Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	203.14	67.8%
Ground Water	96.31	32.2%
Total	299.45	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	1.59	31.09	0.79	0.02	0.90	167.67	1.08	203.14
Ground Water	2.69	1.70	0.84	2.21	41.15	39.80	7.90	96.31
Total	4.29	32.79	1.63	2.23	42.05	207.47	8.99	299.45
Percent Total	1.4%	11.0%	0.5%	0.7%	14.0%	69.3%	3.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Lower Scioto Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	3.06	8.5%
Ground Water	32.93	91.5%
Total	36.00	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.06	0.00	1.41	0.07	1.44	0.02	0.04	3.06
Ground Water	0.17	0.00	0.01	5.55	5.73	19.29	2.19	32.93
Total	0.23	0.00	1.43	5.62	7.18	19.31	2.23	36.00
Percent Total	0.6%	0.0%	4.0%	15.6%	19.9%	53.6%	6.2%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Paint Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	7.33	20.7%
Ground Water	28.07	79.3%
Total	35.40	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.34	0.00	0.00	4.46	0.18	2.35	0.00	7.33
Ground Water	0.06	0.00	0.00	22.18	0.00	4.02	1.80	28.07
Total	0.41	0.00	0.00	26.64	0.18	6.38	1.80	35.40
Percent Total	1.2%	0.0%	0.0%	75.3%	0.5%	18.0%	5.1%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Upper Great Miami Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	19.81	11.2%
Ground Water	157.07	88.8%
Total	176.88	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.51	0.01	1.88	0.00	9.74	6.40	1.27	19.81
Ground Water	0.47	0.01	5.08	2.66	22.59	123.71	2.55	157.07
Total	0.98	0.02	6.96	2.66	32.32	130.11	3.82	176.88
Percent Total	0.6%	0.0%	3.9%	1.5%	18.3%	73.6%	2.2%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Lower Great Miami Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	241.19	59.7%
Ground Water	162.52	40.3%
Total	403.72	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.68	192.58	0.11	28.61	19.21	0.00	0.00	241.19
Ground Water	0.56	2.58	0.07	50.77	2.08	84.68	21.78	162.52
Total	1.25	195.16	0.18	79.39	21.29	84.68	21.78	403.72
Percent Total	0.3%	48.3%	0.0%	19.7%	5.3%	21.0%	5.4%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.


Water Withdrawal in the Whitewater Basin

Total fresh-water withdrawal and source of water in 2005


Source	Water use, in million gallons per day	Percent of total use
Surface Water	0.09	1.7%
Ground Water	4.99	98.3%
Total	5.08	100.0%




■ Ground Water ■ Surface Water



Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.09
Ground Water	0.10	0.00	0.00	3.24	0.00	1.65	0.00	4.99
Total	0.10	0.00	0.08	3.24	0.00	1.65	0.00	5.08
Percent Total	2.0%	0.0%	1.7%	63.8%	0.0%	32.5%	0.0%	100.0%

Water withdrawal trends





Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Raccoon-Symmes Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1.15	20.2%
Ground Water	4.54	79.8%
Total	5.70	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.00	0.00	0.00	0.00	0.00	1.15	0.00	1.15
Ground Water	0.00	0.00	0.00	0.00	0.00	4.54	0.00	4.54
Total	0.00	0.00	0.00	0.00	0.00	5.69	0.00	5.70
Percent Total	0.0%	0.0%	0.0%	0.1%	0.0%	99.9%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Little Scioto-Tygarts Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	13.07	74.6%
Ground Water	4.45	25.4%
Total	17.52	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.01	0.85	0.00	2.32	0.00	9.88	0.01	13.07
Ground Water	0.00	0.00	0.00	0.64	1.93	1.36	0.53	4.45
Total	0.01	0.85	0.00	2.95	1.93	11.24	0.54	17.52
Percent Total	0.0%	4.9%	0.0%	16.9%	11.0%	64.2%	3.1%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (www.dnr.state.oh.us/tabid/18805/Default.aspx) for explanation of data.

Water Withdrawal in the Ohio Brush-Whiteoak Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1411.74	98.4%
Ground Water	23.68	1.6%
Total	1435.42	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.26	1287.94	0.00	0.00	1.15	122.39	0.00	1411.74
Ground Water	0.16	6.64	0.00	0.00	0.00	16.85	0.04	23.68
Total	0.43	1294.57	0.00	0.00	1.15	139.23	0.04	1435.42
Percent Total	0.0%	90.2%	0.0%	0.0%	0.1%	9.7%	0.0%	100.0%



Water withdrawal trends



Water Withdrawal in the Little Miami Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	11.71	29.4%
Ground Water	28.12	70.6%
Total	39.83	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.17	0.00	0.42	0.13	3.45	7.52	0.01	11.71
Ground Water	0.55	0.00	0.40	0.01	1.95	23.83	1.40	28.12
Total	0.72	0.00	0.82	0.14	5.40	31.34	1.41	39.83
Percent Total	1.8%	0.0%	2.1%	0.4%	13.6%	78.7%	3.5%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Middle Ohio-Laughery Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	207.78	91.8%
Ground Water	18.61	8.2%
Total	226.39	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.08	207.68	0.00	0.00	0.00	0.00	0.01	207.78
Ground Water	0.07	3.64	0.10	9.85	0.00	2.17	2.78	18.61
Total	0.15	211.32	0.10	9.85	0.00	2.17	2.79	226.39
Percent Total	0.1%	93.3%	0.0%	4.4%	0.0%	1.0%	1.2%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Upper Wabash Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	1.23	22.2%
Ground Water	4.30	77.8%
Total	5.52	100.0%




■ Ground Water ■ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.01	0.00	0.00	0.00	0.00	1.22	0.00	1.23
Ground Water	0.05	0.00	0.04	0.21	2.81	1.18	0.00	4.30
Total	0.06	0.00	0.04	0.21	2.81	2.40	0.00	5.52
Percent Total	1.1%	0.0%	0.7%	3.8%	51.0%	43.4%	0.0%	100.0%

Water withdrawal trends




Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.

Water Withdrawal in the Mississinewa Basin


Total fresh-water withdrawal and source of water in 2005

Source	Water use, in million gallons per day	Percent of total use
Surface Water	0.00	0.0%
Ground Water	0.16	100.0%
Total	0.16	100.0%




■ Ground Water □ Surface Water

Total fresh-water withdrawal by category in 2005




Location of facilities withdrawing water in 2005



Total fresh-water withdrawal by category in 2005 in millions of gallons per day

	Golf Course	Power	Agriculture	Industry	Mineral Extraction	Public	Misc	Total
Surface Water	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Ground Water	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.16
Total	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.16
Percent Total	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	100.0%

Water withdrawal trends



Provided by Ohio Department of Natural Resources (<http://www.dnr.state.oh.us/tabid/4035/Default.aspx>) in cooperation with U.S. Geological Survey (<http://oh.water.usgs.gov/>) and Natural Resources Conservation Service (www.oh.nrcs.usda.gov/). Indiana data provided by Indiana DNR (http://www.in.gov/dnr/water/water_availability/SWWF/index.html). See (<http://www.dnr.state.oh.us/tabid/18805/Default.aspx>) for explanation of data.